

Empack Spraytech Inc. 98 Walker Drive Brampton, Ontario, L6T 4H6 Canada 905-792-6571

CODE: 044225

PRODUCT: Emzone OdorStop Fabric Refreshner - 275mL

## Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identity..... Emzone OdorStop Fabric Refreshner - 275mL

Product Item Numbers..... 044225

Manufactured by..... Empack Spraytech Inc.

98 Walker Drive Brampton

Ontario Canada L6T 4H6 905-792-6571

24 hour emergency telephone number....... CANUTEC: (613)-996-6666 collect.

Recommended Use..... Eliminates vehicle odor at source, safe for all fabric interiors.

Consumer Commodity.....

Hazard Ratings:

HMIS..... NFPA Rating.....

Health: 1 Fire: 0 Reactivity: 0. Health: 1 Fire: 0 Reactivity: 0.

# **Section 02: HAZARDS IDENTIFICATION**

Emergency Overview..... Potential Health Effects: May irritate eves. KEEP OUT OF REACH OF CHILDREN.

Eye Contact..... Skin Contact..... May cause irritation, redness and pain. Possible mild irritation at point of contact. .

Ingestion may cause headache, nausea, vomiting and weakness. Ingestion.....

Inhalation..... Inhalation of vapour may cause irritation.

Section 03: COMPOSITION/INFORMATION ON INGREDIENTS				
Hazardous Ingredients	CAS#	Wt. %		

Ethyl alcohol 64-17-5 1-5 0.1-1 Surfactants mix 0.1-1.0 Fragrance Proprietary

# Section 04: FIRST AID MEASURES

Eye Contact..... Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the

upper and lower eyelids. Get medical attention if irritation persists.

Skin Contact..... Wash thoroughly with soap and lukewarm water. Ingestion..... Do not induce vomiting, get medical attention.

If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain Inhalation.....

immediate medical assistance. If breathing is difficult, give oxygen and get medical

attention.

Additional Information..... Note to the doctor; treat symptomatically.

# **Section 05: FIRE FIGHTING MEASURES**

Flammability Class..... Non-Flammable.

Not flammable. Use regular extinguishing media whenever needed.

Extinguishing Media.....Sensitivity to Mechanical Impact..... Not expected to be sensitive. Sensitivity to Static Discharge..... Not expected to be sensitive.

### Section 06: ACCIDENTAL RELEASE MEASURES

# **Section 07: HANDLING AND STORAGE**

### Section 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

Safety glasses with side-shields.

Skin/Type..... Not normally required. Use rubber or latex gloves when there is a potential for prolonged or

excessive skin contact.

Respiratory/Type..... Use dust and mist respirator.

CODE: 044225

# PRODUCT: Emzone OdorStop Fabric Refreshner - 275mL

## Section 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls...... Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved.

**Exposure Limits** 

Ingredients	TWA ACGII		OSHA PEL		NIOSH REL
Ethyl alcohol Surfactants	1000 ppm Not available		1000 ppm Not available		1000 ppm Not available
Fragrance	Not established	Not established	Not established	Not established	Not established

## Section 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical State..... Liquid. Physical Appearance..... Liquid aqueous solution. Fresh, green, floral, woody. Odour..... Odour Threshold (ppm)..... Not determined. 4.5 - 6.0. pH..... Vapour Pressure (psig)..... Not available. Vapour Density (Air=1)..... Not available. Evaporation Rate (n-Butyl Acetate = 1)...... Not available. 100 ° C. Boiling Point liquid (deg. C)..... None. 0.980-1.020. Not applicable. Solubility in water..... Soluble in water. Aerosol Flame Projection..... Not available. Auto Ignition Temperature (Propellant), ° C... Not applicable. Not applicable. Not applicable. Not applicable.

### Section 10: STABILITY AND REACTIVITY

Stability...... Stable at normal temperatures and pressures.

Incompatibility...... None known.

Conditions to Avoid...... Avoid sources of heat and flame, and electrostatic charge.

Hazardous Products of Decomposition....... In combustion emits toxic fumes.

Hazardous Polymerization...... No polymerization expected at normal use conditions.

# Section 11: TOXICOLOGICAL INFORMATION

Carcinogenicity of Material.................................. None known when used below acute toxicity limit.

Toxicological Data

Ingredients LC50 LD50

Ethyl alcohol20,000 ppm (rat - 10 hrs)7,060 mg/kgSurfactantsNot availableNot availableFragranceNo dataNo data

### Section 12: ECOLOGICAL INFORMATION

Environmental...... Liquid release is only expected to cause localized, non-persistent environmental damage, such as freezing.

#### Section 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods................................. Dispose in accordance with local, provincial and federal regulations.

# PRODUCT: Emzone OdorStop Fabric Refreshner - 275mL

## Section 14: TRANSPORT INFORMATION

TDG (Canada- Road).....DOT (US-Road)..... Not currently regulated. Not currently regulated. IMDG (International- Marine)..... Not currently regulated. Not currently regulated. IATA (International- Air).....

# **Section 15: REGULATORY INFORMATION**

WHMIS Classification. Not regulated. Environmental Protection Act: Constituents of this product are included on the TSCA USA..... inventory.

### **Section 16: OTHER INFORMATION**

Disclaimer..... The information contained herin is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Empack assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the

CPR. THIS SDS IS VALID FOR THREE YEARS.

ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA:
Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act Abbreviations.....

1976-USA; PEL: Pérmissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHIMIS: Workplace Hazardous

CODE: 044225

Materials Information System.

Regulatory Affairs Nov07/13 Prepared by .....

Preparation Date..... Last Revision Date ..... Sep17/14